



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (206) 407-6300

October 4, 1996

City of Centralia
1401 W Mellen Street
Centralia, Washington 98531-9014

Dear Sir or Madame:

Re: Amended Ground Water Application No. G2-28782

Your application for the appropriation of water has been assigned the above referenced number. Please refer to this number in future correspondence.

Enclosed is a notice of your application which must be published once a week for two consecutive weeks in a qualified legal newspaper of general circulation in the County or Counties in which the storage, diversion, and use is to be made and in other newspapers as directed. A list of these newspapers in your county is enclosed. The applicant is responsible for the payment of the publication. Please read the notice carefully to make sure it is correct. Should you find an error, please return the notice to our office for correction.

You should mail or deliver the enclosed notice to a newspaper regarding publication as soon as possible. When you receive the affidavit of publication with the news clipping from the newspaper, please forward the original to this office promptly.


Since your application is for service of more than one residence, it is considered a public water supply. Public water supply systems are required to be approved by either the Local Health Department or the State Department of Health, depending upon system size. If you have not already done so, I suggest that you contact your Local Health Department or DOH, Drinking Water Section, Olympia, Washington, for further information.

Sincerely,


Sheri Carroll
Shorelands & Water Resources

SC:th
Enclosures





STATE OF WASHINGTON

AMENDED

DEPARTMENT OF ECOLOGY

NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

TAKE NOTICE:

That City of Centralia of Centralia, Washington on March 18, 1993, under Application No. G2-28782 filed for permit to appropriate public waters, subject to existing rights, from 2 wells in the amount of 700 gallons per minute as needed year round each year, for municipal supply. The source of the proposed appropriation is located within Lot 16 Block 41 Second Railroad Addition Section 5, Township 14 N., Range 2 W.W.M., in Lewis County.

Protests or objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from: _____ (Last date of publication to be entered above by publisher)

*** NOTICE MUST BE PUBLISHED ONCE A WEEK FOR TWO CONSECUTIVE WEEKS ***

Department of Ecology
P.O. Box 47775
Olympia, WA 98504-7775



City of Centralia Utilities

1401 W. Mellen Street
Centralia, Washington 98531
Phone (360) 330-7512
Fax (360) 330-7516

August 9, 1996

Mr. Don Davidson
Department of Ecology
Southwest Regional Office
P.O. Box 47775
Olympia, WA 98504-7775

Subject: Applications to change (add a point of withdrawal) re: G.W.
certificates G2-24010C and 562-D

Dear Mr. Davidson:

As referenced in your letter of July 11, 1996, you will find enclosed two applications for change, as referenced above, along with statutory examination fees of \$10.00 for each of the applications.

For consistency of records, note that the City is also requesting the place of use under Certificate 562-D to be the "Area served by the City of Centralia."

Additionally, Ground Water application No. G2-28782A should be amended to include a 2nd well (Tennis Court). It is the City's understanding that this will likely require republication. If so, please send us an amended notice for publication.

Finally, as you are aware, the City needs to start construction of the Tennis Court Production Well almost immediately. Therefore, we are requesting a temporary authorization to begin construction as soon as possible, with the full understanding that the authorization shall in no manner be construed to prejudge Ecology's final decisions on the application.

Thank you for your early attention to this matter. If you have any questions, please contact Ken Kadow at (360) 330-7512.

Sincerely,

Ken Kadow

Water Department Manager

RECEIVED
196 AUG -9 1996
S.W. Regional Office

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Clearwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

June 7, 1993

City of Centralia
1401 W Mellen Street
Centralia, Washington 98531-9014

Dear Sir or Madame:

Re: Ground Water Application No. G 2-28782

We acknowledge receipt of your affidavit of publication of notice in connection with the above-numbered application.

The water codes require that no action be taken toward issuance of a permit earlier than thirty (30) days after the last date of publication. This period of time is allowed for filing any protests or objections.

A site investigation will be made by this office before we issue a permit decision. In light of our water right backlog, we estimate it will be about 18 months after receipt of your application before we are able to conduct the site investigation.

Sincerely,

A handwritten signature in cursive script that reads "Sheri Fox".

Sheri Fox
Water Resources

SF:th(12A)

AFFIDAVIT OF PUBLICATION

STATE OF WASHINGTON)
COUNTY OF LEWIS) ss

April McGarrah, being first duly sworn on oath deposes and says that she is the legal clerk of

The Chronicle

a daily newspaper, which has been established, published in the English language, and circulated continuously as a daily newspaper in the City of Centralia, and in said County and State, and of general circulation in said county for more than six (6) months prior to the date of the first publication of the Notice hereto attached, and that the said Chronicle was on the 7th day of July 1941, approved as a legal newspaper by the Superior Court of said Lewis County, and

That the annexed is a true copy and was published in regular issues (and not in supplement form) of said newspaper once

each week for a period of two

consecutive weeks, commencing on the

4th day of May 19 93

and ending on the 11th day of

May 19 93, and both dates inclusive, and that such newspaper was regularly distributed to its subscribers during all of said period. That the full amount of the fee charged for the foregoing publication is the sum of

\$ 30.80

April McGarrah

Subscribed and sworn to before me this

12th day of May, 19 93

Jenida A. Stewart

Notary Public in and for the State of Washington, residing at

Calhoun

NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS
TAKE NOTICE:

That City of Centralia Water Utility of Centralia, Washington on March 18, 1993 under Application No. G2-28782 filed for permit to appropriate public waters, subject to existing rights, from a well in the amount of 700 gallons per minute as needed year round each year, for municipal supply. The source of the proposed appropriation is located within Lot 16 Block 41 Second Railroad Addition of Section 5, Township 14 N., Range 2W W.M., in Lewis County.

Protests or objections to approval of this application must include a detailed statement of the basis for objections: protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from May 11, 1993.


Dept. of Ecology

P.O. Box 47775

Olympia, WA 98504-7775

May 4, 11, 1993 L#528

affidavit ok
6/7/93
JP



City of Centralia

Water and Wastewater Utilities

1401 W. Mellen Street
Centralia, Washington 98531
(206) 736-2853

1 June 1993

Ms. Sheri Fox
Water Resources
Department of Ecology
Mail Stop LU-11
Olympia, Washington 98504-6811

Dear Ms. Fox:

Enclosed is the original affidavit of publication for groundwater application No. G-2-28782, as required.

Sincerely,

Denise Lahmann
Administrator, Water and Wastewater Utilities

encl.
wp/fox.doc/ld

CHRISTINE C. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

April 26, 1993

City of Centralia
Water Utility
1401 West Mellen Street
Centralia, Washington 98531-9014

Dear Sir or Madame:

Re: Ground Water Application No. G 2-28782

Your application for the appropriation of water has been assigned the above referenced number. Please refer to this number in future correspondence.

Enclosed is a notice of your application which must be published once a week for two consecutive weeks in a qualified legal newspaper of general circulation in the County or Counties in which the storage, diversion, and use is to be made and in other newspapers as directed. A list of these newspapers in your county is enclosed. The applicant is responsible for the payment of the publication. Please read the notice carefully to make sure it is correct. Should you find an error, please return the notice to our office for correction.

You should mail or deliver the enclosed notice to a newspaper regarding publication as soon as possible. When you receive the affidavit of publication with the news clipping from the newspaper, please forward the original to this office promptly. Further processing of the application will not be made until the affidavit is returned.

Since your application is for service of more than one residence, it is considered a public water supply. Public water supply systems are required to be approved by either the Local Health Department or the State Department of Health, depending upon system size. If you have not already done so, I suggest that you contact your Local Health Department or DOH, Drinking Water Section, Olympia, Washington, for further information.

A site investigation will be made by this office before we issue a permit decision. In light of our water right backlog, we estimate it will be about 18 months after receipt of your application before we are able to conduct the site investigation.


Sincerely,

Sheri Fox

Sheri Fox

Water Resources

SF:th Enclosures



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

TAKE NOTICE:

That City of Centralia Water Utility
of Centralia, Washington on March 18, 1993 under
Application No. G 2-28782 filed for permit to appropriate public waters, subject to existing rights,
from a well
in the amount of 700 gallons per minute as needed year round
each year, for municipal supply

The source of the proposed appropriation is located within Lot 16 Block 41 Second Railroad Addition


of Section 5, Township 14 N., Range 2W W.M., in Lewis County.

Protests or objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from

(Last date of publication to be entered above by publisher)

Dept of Ecology
P.O. Box 47775
Olympia Wa 98504-7775

NOTICE



City of Centralia

Water and Wastewater Utilities

1401 W. Mellen Street
Centralia, Washington 98531
(206) 736-2853

12 March 1993

Ms. Gale Blomstrom
Water Resources, SWRO
Department of Ecology
Mail Stop LU-11
Olympia, Washington 98504-6811

Dear Ms. Blomstrom:

Enclosed is an application for permit to appropriate public groundwaters of the State of Washington, along with a warrant in the amount of \$10.00 to cover the statutory examination fee for the application.

This application is for an existing well upon which this is an existing water right. Under Groundwater Certificate 562-D (North Tower; Well #2) the annual authorization was based on only about a 60 day period of pumping at the maximum instantaneous withdrawal rate. This was set up in this manner because the well had historically been used during summer time peak demand periods and as a standby source of water.

With regulatory changes that have occurred through the recent years, this well may be required to be on-line up to 100% of the time. No request is being made to increase the instantaneous withdrawal rate; we are only asking to be authorized to pump the well continuously, as needed. This application follows our recent discussion with you (23 February 1993) and is in all respects similar to pending applications G2-28214 and G2-28215.

Thank you for all due and expeditious consideration of this application.

Sincerely,

Denise Lahmann
Administrator, Water and Wastewater Utilities

encl.

cc: Bill DaVee, City Manager
Glenn Foust, Economic and Engineering Services

DL:ld
wp/wellap.doc/ld

June 12, 1994

TO: Gale Blomstrom
 FROM: Vinnie Wright *(VW)*
 SUBJECT: City of Centralia, Ground Water Applications near Skookumchuck River:

G2-28214 - Washington St. Well - add 1,1886 AF/Y
 G2-28215 - K St. Well - add 1,214 AF/Y
 G2-28782 - North Tower St. Well - add 943 AF/Y

Gale, here are my notes on the above applications:

- See map attached.
- See my R. O. E.'s for G2-28212 and Change 4491 (to Jill for review, etc., today)
- All 3 wells have Declared Certificates for the correct gpm's, but small annual quantities reflecting only 60 days' use each year. The app's request additional AF/Y for year-round use.
- Possible reasons to defer action on these:
 - Washington St. and K. St. wells have been in use most of each year since at least 1990. We issued a temporary permit to allow this in 1991; it has been extended to 11/1/94. As far as I know, the Dept. of Health does not have a problem with continuing that arrangement. Check with Mike Olden.
 - North Tower St. Well has been off line since at least 1989 due to detection of VOC's (below mcl, but worrisome). They may want to change POW or install treatment eventually.
- Proximity to Skookumchuck River suggests potential impact on flows; Skookumchuck is closed July 1 - Sept. 30 each year. If we issue these, limit new quantities to Oct. 1 - June 30?

Another possibility: they do not use the Downing Rd. Well (see NE corner of map) nearly as much as it has rights for under G2-24010C (1,300 gpm, 2,000 AF/Y total prim. + suppl.) * Perhaps some of those quantities could be changed to the 3 wells in question; or relinquished as mitigation?

- There would also be potential impact on Chehalis River flows

** Centralia Comp. Plan p. III-5 (muni. book shelf)*

from these increases. Condition like G2-28212 (Eshom/Borst Park Wells), granting these quantities only as an alternative to the City's North Fork Newaukum River diversion (presumed vested right for 6.9 cfs, not presently in use).

- Whatever increased AF/Y we give them will be supplemental to their other GW rights -- see G2-28212 R. O. E.

CERTIFICATE RECORD No. 2 PAGE No. 562-D UNDER DECLARATION OF CLAIM No. 711

STATE OF WASHINGTON, COUNTY OF LEWIS

Certificate of Ground Water Right

Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and the rules and regulations of the State Supervisor of Hydraulics thereunder.

THIS IS TO CERTIFY That THE CITY OF CENTRALIA
of Centralia, Washington has filed
in the office of the State Supervisor of Hydraulics of Washington Declaration of Claim No. 711
to withdraw ground waters of the State from a Pump Well
located within Lot 16, Block 41 of 2nd Railroad Add. to City of Centralia

for the purpose of Municipal and Industrial

The right to the use of said ground waters has been sustained and approved by the Supervisor of Hydraulics in accordance with Chapter 263, Laws of Washington for 1945; and is hereby entered of record in Volume 2 of Ground Water Certificates at page 562-D; the right approved has a priority of the year 1937; the amount of water which the Declarant is entitled to withdraw for the aforesaid purpose is limited to the amount actually beneficially used and shall not exceed 700 gallons per minute; 186 acre-feet per year; and is appurtenant to the following described lands or place of use:

City of Centralia, Lewis County, Washington

The right to the use of the ground water aforesaid hereby confirmed is restricted to the lands or place of use herein described, except as provided in Sections 6 and 7, Chapter 122, Laws of 1929.


WITNESS the seal and signature of the State Supervisor of Hydraulics affixed this 23rd day
of June, 19 48


By

E. W. DOLYOCK
State Supervisor of Hydraulics
CHAS. J. BARTHOLET, Deputy

CENTRALIA

LEWIS COUNTY WASH.





*City of Centralia
Water Utility*

Date drawn: 2-23-93

File name : Twrwell2.dtp

N. Tower Well

GENERAL DESCRIPTION: Lots one, two, three, four, five, six, seven, eight, nine, ten, eleven, twelve, thirteen, fourteen, fifteen, sixteen, and seventeen, in Block 41 in Second Railroad Addition.

METSKER MAPS

111 SO. TENTH ST., TACOMA 2, WASHINGTON
1222 THIRD AVE., SEATTLE 4, WASHINGTON

TOWNSHIP 14 N.

LEWIS CO.

DATED: JUN 1935

